

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/516,629	12/01/2004	Detlef P Muller-Schulte	RO0940US(#90568)	4567	
7	7590 06/13/2006		EXAMI	NER	
D Peter Hochberg			JUNG, UNSU		
D Peter Hochberg Co 1940 East 6th Street			ART UNIT	PAPER NUMBER	
6th Floor			1641		
Cleveland, OH 44114			DATE MAILED: 06/13/2006	DATE MAILED: 06/13/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/516,629	MULLER-SCHULTE, DETLEF P					
Office Action Summary	Examiner	Art Unit					
	Unsu Jung	1641					
The MAILING DATE of this communication app	l	orrespondence ad	idress				
Period for Reply							
<ul> <li>A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE <u>Threee</u> MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.</li> <li>Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.</li> <li>If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.</li> <li>Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).</li> </ul>							
Status							
1)⊠ Responsive to communication(s) filed on 27 M	arch 2006						
	action is non-final.						
· <u> </u>	' <del></del>						
<i>,</i> — , ,	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
. 4)⊠ Claim(s) <u>1-44 and 46-65</u> is/are pending in the application.							
4a) Of the above claim(s) <u>1-24,43,44,46,47 and 63-65</u> is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>25-42 and 48-62</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers	·						
· · · <u> </u>							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
	ammer. Note the attached Office	Action of form F	10-132.				
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)□ Some * c)□ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment/c)							
Attachment(s)  1) X Notice of References Cited (PTO-892)	A) Thteniou Summer	(PTO-413)					
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date  6) Other:							
Paper No(s)/Mail Date 6)							

Art Unit: 1641

#### **DETAILED ACTION**

## Response to Amendment

- 1. Amendments to the specification in the reply filed on March 27, 2006 have been acknowledged and entered.
- 2. Amendments to cancel claim 45 and amend claims 25-44 and 48-62 in the reply field on March 27, 2006 have been acknowledged and entered.
- 3. Claims 1-44 and 46-65 are pending.

#### Oath/Declaration

4. The English Declaration filed May 26, 2005 complies with the provisions of 37 CFR 1.69 and MPEP § 602.06 and has been considered.

# Objections Withdrawn

5. Applicant's arguments, see pp21-22, filed on March 27, 2006, with respect to the objection of the specification have been fully considered and are persuasive. The objection of the specification has been withdrawn in light of the amended specification in the reply filed on March 27, 2006.

Art Unit: 1641

6. Applicant's arguments, see pp22-23, filed on March 27, 2006, with respect to the objection of claims 25, 26, and 32 have been fully considered and are persuasive. The objection of claims 25, 26, and 32 has been withdrawn in light of the amended claims 25, 26, and 32 in the reply filed on March 27, 2006.

Page 3

## Rejections Withdrawn

- Applicant's arguments, see pp23-27, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 112, second paragraph have been fully considered and are persuasive. The rejection of claims 25-42, 45, and 48-62 under 35 U.S.C. 112, second paragraph has been withdrawn in light of the amended claims 27-45 and 48-62 in the reply filed on March 27, 2006.
- 8. Applicant's arguments, see pp27-32, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 102(b) as being anticipated by Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) have been fully considered and are persuasive. The rejection of claims 25, 26, 28-31, 35-38, 45, 49-52, and 56-58 under 35 U.S.C. 102(b) as being anticipated by Müller-Schulte has been withdrawn.
- 9. Applicant's arguments, see pp32-33, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 102(b) as being anticipated by Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in light of Shishikura et al. (U.S. Patent No. 5,990,262, Nov. 23, 1999) have been fully considered and are persuasive. The rejection of claims

Art Unit: 1641

34 and 55 under 35 U.S.C. 102(b) as being anticipated by Müller-Schulte in light of Shishikura et al. has been withdrawn.

Page 4

- 10. Applicant's arguments, see pp34-38, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Elaissari et al. (U.S. Patent No. 6,133,047, Published Dec. 4, 1997) have been fully considered and are persuasive. The rejection of claims 27, 32, 33, 48, 53, and 54 under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte in view of Elaissari et al. has been withdrawn.
- 11. Applicant's arguments, see pp39-41, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Havas et al. (U.S. Patent No. 4,375,399, Mar. 1, 1983) have been fully considered and are persuasive. The rejection of claims 39-41 and 59-61 under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte in view of Havas et al. has been withdrawn.
- 12. Applicant's arguments, see pp41-43, filed on March 27, 2006, with respect to the rejection under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Havas et al. (U.S. Patent No. 4,375,399, Mar. 1, 1983) and Andrianov et al. (U.S. Patent No. 5,529,777, June 25, 1996) have been fully considered and are persuasive. The rejection of claims 42 and

Art Unit: 1641

62 under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte in view of Havas et al. and Andrianov et al. has been withdrawn.

13. Applicant's arguments, see p43, filed on March 27, 2006, with respect to the rejection under the judicially created doctrine of obviousness-type double patenting as being unpatentable over U.S. Patent No. 6,204,033 have been fully considered and are persuasive. The rejection of claims 25, 26, 28, 30-33, 35, 49, 51-54, and 56 under the judicially created doctrine of obviousness-type double patenting as being unpatentable over U.S. Patent No. 6,204,033 has been withdrawn.

# New Grounds of Rejections

# Claim Rejections - 35 USC § 103

- 14. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 15. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
  - 1. Determining the scope and contents of the prior art.
  - 2. Ascertaining the differences between the prior art and the claims at issue.

- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 16. Claims 25-33, 38, 49-54, and 58 are rejected under 35 U.S.C. 102(b) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341).

Müller-Schulte teaches a process for a production of polymers containing at least one of magnetic or metallic colloids, the process comprising steps of dispersing at least one of encapsulated magnetic or metallic colloids in an aqueous monomer solution, suspending the aqueous monomer solution in an organic phase that is not miscible with water after addition of a radical initiator and radically polymerizing the organic phase to nano- or micro-particles (Abstract and column 7, lines 19-55). However, Müller-Schulte fails to teach a process, wherein the monomer solution contains a thermosensitive monomer suspended through mechanical communition and further adding a cross-linking agent to form thermosensitive polymers having a physical structure changeable by magnetic induction.

Kondo et al. teaches a method of polymerizing magnetic particles by copolymerizing N-isopropylacrylamide (NIPAM), methacrylic acid (MAA) and N,N'methylene-bis-acrylamide (MBA, Abstract). Crosslinking reagent MBA is used to
increase the mechanical strength of the microspheres (p338, left column, first
paragraph). The polymerization process involves stirring (mechanical communition) of
a suspension of monomers, crosslinking reagent and a radical initiator (potassium

Art Unit: 1641

persulfate, KPS, pp337-338, *Preparation and characterization of thermo-sensitive magnetic hydrogel microspheres*). The thermo-sensitive nature of NIPAM enables reversible transition of microspheres between dispersion and flocculation as a function of temperature (p337, left column, second paragraph). The thermoflocculated microspheres can be separated quickly from solutions in a relatively low magnetic field and can be used for carriers for affinity purification (p337, left column, second paragraph).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the method of polymerizing encapsulated magnetic particles of Müller-Schulte by suspension of N-isopropylacrylamide (NIPAM), methacrylic acid (MAA) and N,N'-methylene-bis-acrylamide (MBA) through mechanical communition after adding a crosslinking reagent (MBA) and a radical initiator as taught by Kondo et al. in order to generate thermosensitive polymeric particles having a physical structure changeable by magnetic induction. The advantages of the thermosensitive nature of NIPAM, which enables reversible transition of microparticles between dispersion and flocculation as a function of temperature (induced by a low magnetic field) and use of a crosslinking agent, which increases the mechanical strength of the microparticles, provide the motivation to combine the methods of Kondo et al. with the methods of Müller-Schulte as the thermosensitive particles can be separated quickly from solution in a relatively low magnetic field, which would be advantageous in an affinity purification assays. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success

since Müller-Schulte demonstrates that the encapsulated microparticles can be further polymerized.

With respect to claims 28, 29, 49, and 50, Kondo et al. teaches a process, further comprising the step of adding co-monomers to the monomer solution to obtain resulting copolymers, wherein the co-monomers are acrylic acid (MAA), having a co-monomer content of the resulting copolymers being between 0.05 and 30% by mol. (p339, Table 1).

With respect to claims 30, 31, 51, and 52, Müller-Schulte teaches a process, further comprising a step of adding a magnetic particle size of 10-200 nm in magnetic colloid form (column 5, lines 38-42).

With respect to claims 32, 33, 53, and 54, teaches a process, further comprising steps of dispersively encapsulating the magnetic or metallic colloids in a nano- or microparticle core polymer and adding the encapsulation to the monomer solution, wherein the core polymer comprises polyvinyl alcohol (Abstract).

With respect to claims 38 and 58, Müller-Schulte teaches a process, further comprising a step of bonding a compound from a group consisting of antibodies, peptides, proteins, enzymes, streptavidin, oligonucleotides, oligosaccharides, and DNA (Abstract).

17. Claims 34 and 55 are rejected under 35 U.S.C. 102(b) as being anticipated by Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341), as applied to claim 25

Art Unit: 1641

above, and further in view of Shishikura et al. (U.S. Patent No. 5,990,262, Nov. 23, 1999).

Müller-Schulte in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. Müller-Schulte further teaches that organic solvents such as hexane, heptane, cyclohexane, or petroleum ether are used in the process for the production of the thermosensitive polymers (column 7, lines 45-51). However, Müller-Schulte fails to specifically disclose that these organic phase solvents have a polar solubility parameter of 5-10 (cal/cm<sup>3</sup>)<sup>1/2</sup>.

Shishikura et al. teaches that heptane has a solubility parameter of 7.4 (cal/cm<sup>3</sup>)<sup>1/2</sup>. Therefore, one of ordinary skill in the art would recognize that the organic solvent of Müller-Schulte would inherently have solubility parameter of 7.4 (cal/cm<sup>3</sup>)<sup>1/2</sup>.

18. Claims 35, 36, 56, and 57 are rejected under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) as applied to claims 25 and 26 above, and further in view of Klaveness et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987).

Müller-Schulte in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, Müller-Schulte in view of Kondo et al. fails to teach a process, further comprising the step of adding at least one surfactive substances to the organic phase at 0.05 to 0.15% by weight, wherein the surfactive substance is polyoxyethylenes.

Klaveness et al. teaches a method of using surfactants such as polyoxyethylenes typically in amounts of 1-10% w/v to stabilize the resulting oil in water emulsion during emulsification process for making polymeric particles (column 11, lines 21-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include polyoxyethylenes as a surfactant in 1-10% w/v in the suspension of magnetic colloids and monomers of Müller-Schulte in view of Kondo et al. with as taught by Klaveness et al. in order to stabilize the suspension of aqueous monomer solution in non-miscible organic phase during emulsification process (stirring). The advantage of forming a stabilized suspension of aqueous monomer solution in non-miscible organic phase during emulsification process provides the motivation for including the polyoxyethylenes of Klaveness et al. as a surfactant in the method of Müller-Schulte in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success since an addition of a surfactant such as polyoxyethylenes would stabilize the suspension of aqueous monomer solution in non-miscible organic phase in a method for forming polymeric particles.

19. Claim 37 is rejected under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) as applied to claim 25 above, and further in view of Minghetti et al. (U.S. Patent No. 5,415,931, May 16, 1995).

Müller-Schulte in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, Müller-Schulte in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of pre-polymerizing the monomer solution for 5-120 seconds before dispersion in the organic phase.

Minghetti et al. teaches a method of pre-polymerizing a portion of monomers before final polymerization process in order to more readily control the polymerization process and the size and shape of the polymer (column 1, lines 27-33).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include in the method of Müller-Schulte in view of Kondo et al. an additional step of pre-polymerizing the monomer solution before dispersion in the organic phase for final polymerization as taught by Minghetti et al. in order to more readily control the polymerization process and the size and shape of the polymeric particles. The advantage of controlling the polymerization process and the size and shape of the polymeric particles provides the motivation for combining the methods of Minghetti et al. and Müller-Schulte in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success in combining the methods of Minghetti et al. and Müller-Schulte in view of Kondo et al. since the pre-polymerization methods have been shown to control the polymerization process and the size and shape of the polymers. With respect to the limitation of "pre-polymerizing the monomer solution for 5-120 seconds", Müller-Schulte in view of Kondo et al. and Minghetti et al. discloses the claimed invention except for

pre-polymerizing the monomer solution for 5-120 seconds. It would have been obvious to one of ordinary skill in the art at the time of the invention to pre-polymerize the monomer solution for 5-120 seconds, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller*, 105 USPQ 233.

20. Claims 39, 40, 59, and 60 are rejected under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) as applied to claims 25 and 26 above, and further in view of Mosbach et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987).

Müller-Schulte in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, Müller-Schulte in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of encapsulating active agents in the polymers by adding the active agents to a monomer solution containing at least one of magnetic or metallic colloids.

Mosbach et al. teaches a method of encapsulating enzymes by bead polymerization process, where the monomer solution together with enzyme is dispersed in hydrophobic phase (column 1, lines 31-34).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include a step of adding encapsulating active agents (enzymes)

Art Unit: 1641

in the polymers by adding the active agents to a monomer solution containing at least one of magnetic or metallic colloids of Müller-Schulte in view of Kondo et al. as taught by Mosbach et al. in order to encapsulate active agents by microparticle polymerization process. The advantage of performing both the encapsulation and polymerization processes in one step provides the motivation of combining the methods of Mosbach et al. and Müller-Schulte in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success since Mosbach et al. demonstrated that encapsulating active agents such as enzymes (proteins) can be performed during the polymerization step.

Page 13

21. Claims 41, 42, 61, and 62 are rejected under 35 U.S.C. 103(a) as being unpatentable over Müller-Schulte (U.S. Patent No. 6,204,033, Mar. 20, 2001) in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) and of Mosbach et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987) as applied to claims 40 and 60 above, and further in view of Khan et al. (U.S. Patent No. 5,413,797, May 9, 1995).

Müller-Schulte in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, Müller-Schulte in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of adding a compound selected from the consisting of polyvalent alcohols, polyvinyl alcohols, gelatins and carbohydrates are added to the active agents in an amount of 0.1 to 20% by weight, wherein the polyvalent alcohols or

carbohydrates are selected from the group consisting of inosite, mannite, sorbite, aldonite, erythrite, sucrose, glycerine, xylite, fructose, glucose, galactose and maltose.

Khan et al. teaches a method of adding a stabilizer for to an active agent (ACTH, column 7, lines 26-37). The examples of stabilizers include carbohydrates such as sucrose (column 7, lines 24-33). The amount of carbohydrates to protein generally ranges from 1:10 to 4:1 (column 7, lines 34-36).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to add a stabilizer to the active agent as taught by Khan et al. in the method of Müller-Schulte in view of Kondo et al. and Mosbach et al. in order to enhance stability of the active agent. The advantage of stabilizing the active agent in the thermosensitive polymers provides the motivation of combining the methods of Khan et al. and Müller-Schulte in view of Kondo et al. and Mosbach et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success in combining the methods of Khan et al. and Müller-Schulte in view of Kondo et al. and Mosbach et al. since the stabilizer of Khan et al. stabilizes a protein molecules, which are the active agents of the thermosensitive polymers of Müller-Schulte in view of Kondo et al. and Mosbach et al.

# **Double Patenting**

22. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA

Art Unit: 1641

1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 23. Claims 25-33, 38, 49-54, and 58 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341).
- U.S. Patent No. 6,204,033 teaches a process for a production of polymers containing at least one of magnetic or metallic colloids, the process comprising steps of dispersing at least one of encapsulated magnetic or metallic colloids in an aqueous monomer solution, suspending the aqueous monomer solution in an organic phase that is not miscible with water after addition of a radical initiator and radically polymerizing the organic phase to nano- or micro-particles. However, U.S. Patent No. 6,204,033 fails to teach a process, wherein the monomer solution contains a thermosensitive monomer suspended through mechanical communition and further adding a cross-linking agent to form thermosensitive polymers having a physical structure changeable by magnetic induction.

Kondo et al. teaches a method of polymerizing magnetic particles by copolymerizing N-isopropylacrylamide (NIPAM), methacrylic acid (MAA) and N,N'-

methylene-bis-acrylamide (MBA, Abstract). Crosslinking reagent MBA is used to increase the mechanical strength of the microspheres (p338, left column, first paragraph). The polymerization process involves stirring (mechanical communition) of a suspension of monomers, crosslinking reagent and a radical initiator (potassium persulfate, KPS, pp337-338, *Preparation and characterization of thermo-sensitive magnetic hydrogel microspheres*). The thermo-sensitive nature of NIPAM enables reversible transition of microspheres between dispersion and flocculation as a function of temperature (p337, left column, second paragraph). The thermoflocculated microspheres can be separated quickly from solutions in a relatively low magnetic field and can be used for carriers for affinity purification (p337, left column, second paragraph).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the method of polymerizing magnetic particles of U.S. Patent No. 6,204,033 by suspension of N-isopropylacrylamide (NIPAM), methacrylic acid (MAA) and N,N'-methylene-bis-acrylamide (MBA) through mechanical communition after adding a crosslinking reagent (MBA) and a radical initiator as taught by Kondo et al. in order to generate thermosensitive polymeric particles having a physical structure changeable by magnetic induction. The advantages of the thermo-sensitive nature of NIPAM, which enables reversible transition of microparticles between dispersion and flocculation as a function of temperature (induced by a low magnetic field) and use of a crosslinking agent, which increases the mechanical strength of the microparticles, provide the motivation to combine the methods of Kondo et al. with the methods of U.S.

Art Unit: 1641

Patent No. 6,204,033 as the thermosensitive particles can be separate quickly from solution in a relatively low magnetic field, which would be advantageous in an affinity purification assays. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success since U.S. Patent No. 6,204,033 demonstrates that the encapsulated microparticles can be further polymerized.

Page 17

24. Claims 34 and 55 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341), as applied to claim 25 above, and further in view of Shishikura et al. (U.S. Patent No. 5,990,262, Nov. 23, 1999).

U.S. Patent No. 6,204,033 in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. U.S. Patent No. 6,204,033 further teaches that organic solvents such as hexane, heptane, cyclohexane, or petroleum ether are used in the process for the production of the thermosensitive polymers. However, U.S. Patent No. 6,204,033 fails to specifically disclose that these organic phase solvents have a polar solubility parameter of 5-10 (cal/cm<sup>3</sup>)<sup>1/2</sup>.

Shishikura et al. teaches that heptane has a solubility parameter of 7.4 (cal/cm<sup>3</sup>)<sup>1/2</sup>. Therefore, one of ordinary skill in the art would recognize that the organic solvent of U.S. Patent No. 6,204,033 would inherently have solubility parameter of 7.4 (cal/cm<sup>3</sup>)<sup>1/2</sup>.

Art Unit: 1641

25. Claims 35, 36, 56, and 57 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) as applied to claims 25 and 26 above, and further in view of Klaveness et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987).

Page 18

U.S. Patent No. 6,204,033 in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, U.S. Patent No. 6,204,033 in view of Kondo et al. fails to teach a process, further comprising the step of adding at least one surfactive substances to the organic phase at 0.05 to 0.15% by weight, wherein the surfactive substance is polyoxyethylenes.

Klaveness et al. teaches a method of using surfactants such as polyoxyethylenes typically in amounts of 1-10% w/v to stabilize the resulting oil in water emulsion during emulsification process for making polymeric particles (column 11, lines 21-56).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include polyoxyethylenes as a surfactant in 1-10% w/v in the suspension of magnetic colloids and monomers of U.S. Patent No. 6,204,033 in view of Kondo et al. with as taught by Klaveness et al. in order to stabilize the suspension of aqueous monomer solution in non-miscible organic phase during emulsification process (stirring). The advantage of forming a stabilized suspension of aqueous monomer solution in non-miscible organic phase during emulsification process provides the motivation for including the polyoxyethylenes of Klaveness et al. as a surfactant in the

Art Unit: 1641

method of U.S. Patent No. 6,204,033 in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success since an addition of a surfactant such as polyoxyethylenes would stabilize the suspension of aqueous monomer solution in non-miscible organic phase in a method for forming polymeric particles.

26. Claim 37 is rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) as applied to claim 25 above, and further in view of Minghetti et al. (U.S. Patent No. 5,415,931, May 16, 1995).

U.S. Patent No. 6,204,033 in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, U.S. Patent No. 6,204,033 in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of pre-polymerizing the monomer solution for 5-120 seconds before dispersion in the organic phase.

Minghetti et al. teaches a method of pre-polymerizing a portion of monomers before final polymerization process in order to more readily control the polymerization process and the size and shape of the polymer (column 1, lines 27-33).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include in the method of U.S. Patent No. 6,204,033 in view of Kondo et al. an additional step of pre-polymerizing the monomer solution before

Art Unit: 1641

dispersion in the organic phase for final polymerization as taught by Minghetti et al. in order to more readily control the polymerization process and the size and shape of the polymeric particles. The advantage of controlling the polymerization process and the size and shape of the polymeric particles provides the motivation for combining the methods of Minghetti et al. and U.S. Patent No. 6,204,033 in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success in combining the methods of Minghetti et al. and U.S. Patent No. 6,204,033 in view of Kondo et al. since the pre-polymerization methods have been shown to control the polymerization process and the size and shape of the polymers. With respect to the limitation of "pre-polymerizing the monomer solution for 5-120 seconds", U.S. Patent No. 6,204,033 in view of Kondo et al. and Minghetti et al. discloses the claimed invention except for pre-polymerizing the monomer solution for 5-120 seconds. It would have been obvious to one of ordinary skill in the art at the time of the invention to pre-polymerize the monomer solution for 5-120 seconds, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re-Aller, 105 USPQ 233.

27. Claims 39, 40, 59, and 60 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*,

1997, Vol. 84, pp337-341) as applied to claims 25 and 26 above, and further in view of Mosbach et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987).

U.S. Patent No. 6,204,033 in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, U.S. Patent No. 6,204,033 in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of encapsulating active agents in the polymers by adding the active agents to a monomer solution containing at least one of magnetic or metallic colloids.

Mosbach et al. teaches a method of encapsulating enzymes by bead polymerization process, where the monomer solution together with enzyme is dispersed in hydrophobic phase (column 1, lines 31-34).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include a step of adding encapsulating active agents (enzymes) in the polymers by adding the active agents to a monomer solution containing at least one of magnetic or metallic colloids of U.S. Patent No. 6,204,033 in view of Kondo et al. as taught by Mosbach et al. in order to encapsulate active agents by microparticle polymerization process. The advantage of performing both the encapsulation and polymerization processes in one step provides the motivation of combining the methods of Mosbach et al. and U.S. Patent No. 6,204,033 in view of Kondo et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success since Mosbach et al. demonstrated that encapsulating active agents such as enzymes (proteins) can be performed during the polymerization step.

Art Unit: 1641

28. Claims 41, 42, 61, and 62 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9 and 14 of U.S. Patent No. 6,204,033 in view of Kondo et al. (*J. Fermentation and Bioengineering*, 1997, Vol. 84, pp337-341) and of Mosbach et al. (U.S. Patent No. 4,647,536, Mar. 3, 1987) as applied to claims 40 and 60 above, and further in view of Khan et al. (U.S. Patent No. 5,413,797, May 9, 1995).

Page 22

U.S. Patent No. 6,204,033 in view of Kondo et al. teaches a process for a production of thermosensitive polymers as discussed above. However, U.S. Patent No. 6,204,033 in view of Kondo et al. fails to teach a process for a production of thermosensitive polymers, further comprising a step of adding a compound selected from the consisting of polyvalent alcohols, polyvinyl alcohols, gelatins and carbohydrates are added to the active agents in an amount of 0.1 to 20% by weight, wherein the polyvalent alcohols or carbohydrates are selected from the group consisting of inosite, mannite, sorbite, aldonite, erythrite, sucrose, glycerine, xylite, fructose, glucose, galactose and maltose.

Khan et al. teaches a method of adding a stabilizer for to an active agent (ACTH, column 7, lines 26-37). The examples of stabilizers include carbohydrates such as sucrose (column 7, lines 24-33). The amount of carbohydrates to protein generally ranges from 1:10 to 4:1 (column 7, lines 34-36).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to add a stabilizer to the active agent as taught by Khan et al. in

Art Unit: 1641

the method of U.S. Patent No. 6,204,033 in view of Kondo et al. and Mosbach et al. in order to enhance stability of the active agent. The advantage of stabilizing the active agent in the thermosensitive polymers provides the motivation of combining the methods of Khan et al. and U.S. Patent No. 6,204,033 in view of Kondo et al. and Mosbach et al. In addition, one of ordinary skill in the art at the time of the invention would have had a reasonable expectation of success in combining the methods of Khan et al. and U.S. Patent No. 6,204,033 in view of Kondo et al. and Mosbach et al. since the stabilizer of Khan et al. stabilizes a protein molecules, which are the active agents of the thermosensitive polymers of U.S. Patent No. 6,204,033 in view of Kondo et al. and Mosbach et al.

Page 23

#### Response to Arguments

29. Applicant's arguments with respect to claims 25-42, 45, and 48-62 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

- 30. No claim is allowed.
- 31. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Unsu Jung whose telephone number is 571-272-8506. The examiner can normally be reached on M-F: 9-5.

Art Unit: 1641

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on 571-272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Unsu Jung, Ph.D. Patent Examiner

Art Unit 1641

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600